

Horticulture Supplies

- Planting Tray
- Seedling Pot
- Tray Seeder
- Seedling Heat Mat
- Plastic Planters
- Flower Bucket
- Plant Labels
- Plant Support Stakes
- Plant Support Clips
- Plant Ties
- Horticulture Tools
- Fruit Picking Tool
- Grafting Tool
- Garden Trolley Cart
- Garden Storage Shed
- Gardening Gloves
- Gardening Overalls



Horticulture and Agriculture Supplies


Address: 1F, Building# 1032, 999 Wangqiao Road, 201201 Shanghai China

Tel: 0086 137 6492 6104 Email: info@jychinasourcing.com Contact: Shirley Jiang

1. Planting Tray


Planting tray is ideal for starting seeds and transplanting seedling, suitable for both manual and automatic planting. There are variety sizes of the length, width, depth and many different shapes and quantities of cells, to meet your various seedling needs, they are easy to use and remove, durable and reusable. The material is durable, Eco-friendly, heat-resistance, anti-corrosion. And these plant trays are used for propagating flowers, vegetables, and other plant from seeds in greenhouse.

We provide seedling trays, orchid trays, and sprouting trays.



1. Planting Tray

1.1 Seedling Tray




Size of seedling tray (L * W * H)	Holes(pcs)	Size of holes
54*28.5*4cm		
54*28.5*4cm		
54*28*6cm	21	6.5cm
54*28*5cm	32	6cm
54*28*5cm	50	5cm
54*28*4cm	72	4cm
54*28*4cm	105	3.5cm
54*28*3cm	128	3.5cm
54*28*11cm	32	6cm
54*28*9cm	50	5cm
54*28*3.5cm	200	2.5cm



1. Planting Tray

1.2 Water Storage Planting Tray



model	Outer diameter*Inner diameter*Height*Bottom diameter(mm)	Packing quantity (pcs)
CX12	520*393*52*104	50
CX24	587*394*46*80	50



1. Planting Tray


1.3 Orchid Tray

The orchid tray is specially for phalaenopsis seedling plant, the trays are divided into two types:

(1) BA type round hole end screen (2) BA type round hole end screen with feet



* Size parameter of BA type round hole end screen




4 HOLES

5 HOLES


6 HOLES



9 HOLES




12 HOLES




PHALAENOPSIS 12 HOLES




12 HOLES L




SQUARE 12 HOLES S




SQUARE 12 HOLES L



* Size parameter of BA type round hole end screen with feet




ADD FOOT 12 HOLES (S)




ADD FOOT 12 HOLES (L)



ADD FOOT 15 HOLES (S)



ADD FOOT 12 HOLES (L)



ADD FOOT 24 HOLES



Email: info@jychinasourcing.com Contact: Shirley Jiang

1. Planting Tray


1.3 Orchid Tray

(3) Orchid trough


Two-slot orchid slot



Four-slot orchid slot



(5) Round Frame Orchid Tray



(4) Nutrition Cup Tray



Email: info@jychinasourcing.com Contact: Shirley Jiang

1. Planting Tray

1.4 Sprouting Tray



Specification of Sprouting Tray

Length(mm)	Width(mm)	Height(mm)	Holes(adjustable)
1500	600	140	32
1200	600	140	28

Sprouting Trays and Vertical Racks



03
Growing stage
20-30 days harvest vegetables


02
Seedling stage
12-20 days little seeding

01
Germination stage
8-10 days seeding




Email: info@jychinasourcing.com Contact: Shirley Jiang

1. Planting Tray
1.5 Grass Grid



Short



Heighten

Planting grid size parameters

model	long	width	high	Packing quantity
Short	475	370	35	10
Heighten	475	370	50	10



Email: info@jychinasourcing.com Contact: Shirley Jiang

2. Seedling Pots

2.1 Nutrition Cup

•Anti-aging nutrition cup



model	Caliber*Height(mm)	Packing quantity(pcs/piece)
10X10	100*100	3500
12X12	120*120	3000
13X12	130*120	2500
13X15	125*140	2000
15X13	150*130	2000
15X15	140*140	2000
A+15X15/single hole	140*140	800
15X18	150*180	1500
16X14	160*140	1500
16X16	150*150	1500
A+16X18	150*175	1500
17X17	170*170	1000
18X15	180*150	1500
20X15	200*150	1000
20X19	200*190	900
21X17	210*170	1000
22X21	220*210	800
A+23X18	230*180	700
23X18	230*180	700
23X22	230*220	500
26X21	260*210	600
A+29X23	290*230	500
29X23	290*230	500
A+30X25/6hole	300*250	250
30X25/6hole	300*250	200
30X25	300*250	200
30X28small	260*210	600
30X25/14hole	300*250	200
34X28(thick)	340*280	150
6X9	60*85	1200
10X16	100*160	500
Square flower pot15X30	*	500
Square flower pot10X26	*	800
Square flower pot10X30	100*290	800

•Ordinary nutrition cup



model	Caliber*height(mm)	Packing quantity(pcs/piece)
65X6.5	60*60	10000
8X8	70*70	10000
8X9	*	6000
9X9	80*80	10000
10X10	90*90	10000
11X11	100*100	5000
12X10	105*95	6000
12X10 sanli edition	*	8000
12X12	110*110	5000
13X12	120*110	3000
15X13	110*100	4000
15X13Grass flower M	95*85	4000
15X13Grass flower S	90*80	4000
15X13Zhongshan edition	75*65	4000
15X15	130*130	3000
15X18	137*175	1500
16X14	135*122	2500
16X16	140*140	2000
16X18	151*174	1500
18X14	150*130	2000
18X16	180*150	2000
18X18	160*155	2000
18X20	168*190	1500
21X16	195*153	1500
21X17Zhongshan edition	*	4000
21X21	175*175	1500
23X18	210*170	1500
23X23	185*200	1000
26X21	230*180	1000
28X23	240*190	1000
30X28(S)	260*210	800
30X28(L)	290*230	700
35X32	300*250	500
38X35	340*280	250
38X30	350*230	300
32X28	280*270	600
52X45	380*290	200
10X20	90*180	5000
10X30	*	800
Sanli 15X13 L	*	4000
Sanli 15X13 S	*	4000
Bowl cup 18X10	*	2000



2. Seedling Pots

2.2 Orchid Clear Pot



model	Caliber*height(mm)	Packing quantity(pcs/piece)
1.5	50*50	12000
1.7	60*60	10000
1.8	65*65	10000
2	65*65	10000
2.5	80*80	5000
2.8B	90*90	4000
2.8C	*	2500
3	100*100	3000
3B	90*103	3000
3Heightened	100*115	3000
3.5	115*100	2500
3.5B	105*105	3000
3.5Heightened	115*120	2000
3.5HeightenedB	105*120	2500
3.8	120*120	2000
4	135*130	2000
4.5	150*150	1000
5	170*170	1000
Dust cover(small)	*	4000



Email: info@jychinasourcing.com Contact: Shirley Jiang

2. Seedling Pot

2.3 Biodegradable Flower Pot

(1) Pulp flower pot (seedling cup)



6cm Round Pulp Seedling Cup



8cm Round Pulp Seedling Cup



10cm Round Pulp Seedling Cup with Single Hole



5cm Round Pulp Seedling Cup



6cm Square Pulp Seedling Cup with Holes



8cm Square Pulp Seedling Cup




One Set 6 Square Pulp Seedling Cup



One Set 10 Square Pulp Seedling Cup



One Set 10 Square Pulp Seedling Cup with Hole



One Set 12 Square Pulp Seedling Cup



One Set 12 Square Pulp Seedling Cup with Hole



Email: info@jychinasourcing.com Contact: Shirley Jiang

2. Seedling Pot

2.3 Biodegradable Flower Pot

(2) Coir Flower Pot / Coir Seedling Cup



Coir seedling cup has the characteristics of degradability, and they can greatly improve the survival rate of cultivated seedlings.
size include: 6cm, 7.5cm, 8cm, 9cm, 10cm, 13cm, 15cm

(3) Hanging Basket + Coir Pot



Round coir hanging basket: 8 inch, 10inch, 12inch, 14inch, 16inch, 18inch etc.



Wall hanging semi-circular hanging basket + coir pot:
size include 10inch, 12inch, 14inch, 16inch, 18inch



Wall hanging trough hanging basket + coir pot:
Size include:20inch, 24inch, 30inch, 36inch, 48inch



Email: info@jychinasourcing.com Contact: Shirley Jiang

2. Seedling Pot

2.3 Biodegradable Flower Pot

Coir Mat



Round coir mat: different sizes can be customized. It can effectively prevent the growth of weeds in the roots of plants, and effectively prevent water loss from plants. Size include: 20cm, 25cm, 30cm, 35cm, 40cm, 45cm, 50cm, 60cm.

Coir Roll



Coir rolls can be used to wrap plants in winter. It has the effect of heat preservation and cold protection. It is also the first packing material for pet lovers. Size can be customized.

Plant Climbing Post



Plant Climbing Post: stable plant growth and aesthetic effect. Size include: 30cm, 40cm, 50cm, 60cm, 90cm, 120cm, 150cm etc.



Email: info@jychinasourcing.com Contact: Shirley Jiang

3. Tray Seeder



Fully Automatic Seeder

- Three station: Soil Loading Station, Seeding Station, Soil Covering Station

Product Model	XP-330
Product Dimensions	Based on customer requirements
Configuration	Integrated three-station
Structure	High-grade stainless steel frame/green wear-resistant conveyor belt
Transmission/Drive Method	Continuously variable speed motor + Continuously variable pneumatic
Programming Method	PLC and touch screen
I/O Signals	4 inputs/7 outputs
Input Voltage	220V AC 50HZ
Control Voltage	24V DC safety voltage
Power	750W




Email: info@jychinasourcing.com Contact: Shirley Jiang

4. Seedling Heat Mat

- Seeding Propagation Mat as the heat mat is the new, stronger heating wire and thicker multi-layer construction, can customize in square, round and various kinds of size. The light, watering and planting information on mat, warms root area 10~20 degree over ambient temperature to improve germination, increasing the success of seeding and cuttings. Waterproof construction retains moisture for optimal safety, Seeding heat mat Fits under common seed trays, for better vegetable, herb, and flower seed germination. Voltage: 220~240V or 100~120V, 6-foot power cord, CE, IP67 Approved

Model NO	Size	Watt
YQ101	530X220mm	18W
YQ102	530X220mm	20 W
YQ103	527X254mm	21 W
YQ104	508X508mm	45 W
YQ105	527X508mm	45 W
YQ106	1220X508mm	105 W
YQ107	1220X527mm	105 W
YQ108	388X282mm	18 W
YQ109	110X80mm	2.5 W
YQ110	555X282mm	25W
YQ111	644X350mm	35 W
YQ112	610X127mm	12 W
YQ113	1118X533mm	95 W
YQ114	500X500mm	40 W
YQ115	520X220mm	18 W
YQ116	800X150mm	18 W



5. Plastic Planter

The manufacture of flower pots was established in 1998, the factory committed to the plastic injection molding industry R & D and production, such as, all kinds of flower pots, seedling cups and planting containers and so on. With advanced production equipment, high production capacity, sufficient inventory, stable supply, high cost performance of products, it has created obvious economic benefits for customers.



- * Round Flower Pot
- * Square Flower Pot
- * Rectangular Flower Pot
- * Root Control Pot
- * Orchid Flower Pot
- * Flower Pot Hook



White set basin

Effect of a pot with a gallon of controlled roots




Email: info@jychinasourcing.com Contact: Shirley Jiang

6. Flower Bucket



White



black

model	External length * External width height (mm)	Packing quantity (pcs/piece)
flower bucket	342 * 265 * 380	10



7. Plant Labels

Plant labels are used to identify the plants and flowers in the garden and greenhouse. They can be directly inserted to the soil as a sign for the plants, and some labels with a hole can be hung on the plants. On the blank labels, you can stick a label with logo and name printing or directly write the plant names with a mark pen on the plant label plates, or directly put cards on some model of plant labels, also we provide variety of shapes and styles of plant markers for option: plastic label, metal sign, wood labels, natural stone sign, etc. Besides of these, we also can do OEM print for plant labels with color print.

The plant labels in environment protection material, waterproof, and the color print labels is UV coated for the Sun-proof.




8. Plant Support Stakes

8.1 Orchid Support Sticks

- Orchid support are normally made of natural bamboo sticks, and other flower support as well. We select the good strength quality of bamboo material in China, all the materials are dried enough and under special mildew proof treatment. We supply full range of sizes, finishing, and colors. The diameter could be from 2.5mm to 8mm, and length from 15cm to 100cm, we also can arrange the new specification according to your requirements.
- Colors: natural, dark green, light green, olive green, anthracite, dark brown, etc
- Finishing: natural, dying and waxed, painted, foiled
- Size: Various diameter and length for option
- Quality: The sticks are dried and test till dryness less than 12%, and with mildew proof treatment. The final sticks finishing are smooth, no burrs or black knots. The sticks have good strength so good as the orchid support.

The bamboo sticks production procedure:




Email: info@jychinasourcing.com Contact: Shirley Jiang

8. Plant Support Stakes

8.2 Tomato Plant Support

- **Tomato plant support** use galvanized metal stakes, or plastic coated for option. These metal stakes are spiral, the ideal support especially for tomatoes, also for any other climbing plants. The plant finds support by growing up with the spiral stakes, the supports will keep the plants healthy and upright growing. The material of zinc-coated steel wire has high tensile strength, rustproof, flexible, acid-resistance and alkali-resistance quality.
- Colors and finishing: galvanized (zinc coated) finishing, and If plastic coated, colors can be green, black, yellow, blue, etc, any customized colors;
- Length: 1.1m, 1.2m, 1.5m, 1.8m, 2.0m etc
- Thickness: 5mm ~ 8mm wire



8. Plant Support Stakes

8.3 Plant Trellis

- Plant trellis normally use natural bamboo poles, the diameter and length can be customized. The dryness are controlled within no less than 12%. We choose the best bamboo producing bases which can meet the need of good quality raw material in good strength, and flexible. Washing clean, high temperature drying, roasted straight, mothproof mold processing, sorting, cutting, packing, fumigation, loading container.



Email: info@jychinasourcing.com Contact: Shirley Jiang

8. Plant Support Stakes


8.4 Garden stakes

Garden stakes are made of metal stakes with plastic coating in green color, looking like bamboo, and these stakes are used for all vine plant supports, such as: flower supports, tomato supports, cucumber plant supports, cowpea plant supports, eggplant supports, grapevine supports, etc. We have a lot of different models, sizes for your choice: diameters are from 8mm to 34mm, length from 60cm to 300cm. And these plastic coated metal stakes can be used in moisture condition and have long using life, strong stiffness.



9. Plant Support Clips

- **Plant support clips** connect the stems and branches of plants onto the plant stakes, protect the plant against wind damage, they are gentle, no harm to plants, and help the plant grow up better. We have various models, Orchid Clips, Tomato Clips, Grafting Clips, and more models of support clips for different plants, these plant clips are used for flowers and other vine plants in the garden and greenhouse.



9. Plant Support Clips

9.1 Orchid Clips

These supporting clips are used for orchid plants in the garden and greenhouse, and most for phalaenopsis flower, to connect the stems of flowers onto the plant stakes, they help the plant grow up better, and also help display orchid more beautiful.

The orchid clips with good quality material are not easy broken on using, smoothy finish, no burrs, both sides of pin locked, no sharps, no harm to hands, the teeth on clips are well closed, no damage on flowers

Colors : dark green, light green, olive green, anthracite, dark brown, etc

Size in width: 1.0cm (S), 1.1cm (M), 1.5cm (L)



9. Plant Support Clips

9.2 Tomato Clips

Tomato clips have the different shapes in the round, the arch, and hooks. The tomato clips in round shape support the plants throughout their growth greatly, the twine goes through the back of the clip and fixed to the plant trellis, it connects tomato plants to the trellis easily. The tomato clips in arch are used to prevent the stems breaking when fruit becomes too heavy. And these plant arches clips help dramatically increase the fruit size, therefore also increasing the higher productivity. They are not only as tomato supports, also as cucumber, peppers and other fruits and vegetable plants supports.

The plant support hooks attached to string, are placed around a stem to support the fruits and vegetables, such as tomatoes, cucumbers, peppers and other plants.

Another kind of plant hooks with twines, you can decide yourself the length of free fall. The hook in 18cm is used in lower greenhouses or slow growing crops, the hook in 22cm is used in higher greenhouse, for cucumbers and other faster growing crops.



10. Plant ties

Plant ties are used to tie the plants onto supporting stakes and trellis. We provide Twist ties, Soft ties, tie clips, metal wires, jute or raffia ropes for plant ties. These ties support the plants to resist the strong wind, and the ties also can hold the loose stems and branches together without falling down.

• 10.1 Plant Soft Ties

The soft plant ties are very soft material in silicone rubber or TPR soft plastic with flexible iron core, this kind of ties have variety sizes, diameter in 2.5mm, 3.5mm, 5mm, 6.5mm, 7mm, and also variety of length each roll of packing for option. The silicone rubber material is super gentle, the ties have no harm on delicate plants.



• 10.2 Twist Ties







The twist tie is PE coated wire, which is against moisture, easily twisted. It is rolled together with the cutter, very easy cut the length for users. And we provide variety of length from 20metres to 100metres on each roll of packing for option. This twist tie is for securing plants onto trellis, stakes, and other plant supports.



Email: info@jychinasourcing.com Contact: Shirley Jiang

10. Plant Ties

10.3 Garden Ties



10. Plant ties

10.4 Garden Rope

- **Garden Jute twine**

Natural Jute rope can be used as binding lines and ties in the garden, greenhouse, and other agricultural using, also as the support lines for vineyard.

The natural jute material is Eco-friendly, and good strength as the binding line.

The length in the rolls can be customized, with 2 thread, 3 thread, 4 thread.

natural color, and many other colors available.



- **Garden Raffia Rope**

Natural Raffia rope as the good decoration, can be used as binding lines and ties in the garden, greenhouse, florist.

The natural raffia material is Eco-friendly, and good strength as the binding line.

The length in the rolls can be customized, with 2 thread, 3 thread, 4 thread

natural color, many other colors available



10. Plant Ties

10.5 Garden Tie Wire

- Plant tie wire is widely used for garden binding and ties, support lines for vineyard, construction for plant trellis and greenhouse pull screen system and outdoor or indoor awning, support lines for greenhouse film covers.
- They are packed by big rolls and wires diameter 0.25mm~5mm, or packed on wooden sticks and wires diameter 0.3mm~1.0mm. The length on rolls can be customized.

(1) Galvanized Wire, Hot-dipped

Hot-dipped galvanized wire is widely used in agricultural industry for the construction in the greenhouse, setting up plant trellis, vine brackets, etc.

The rolls size is customized, it can be small rolls or big rolls from 0.5kg~800kg per roll.

outer diameter: 2mm, 3mm



(2) Black Metal Wire

Black Metal Wire is offered in the form of coil wire, tie wire or cut into straight wire. Black iron wire is mostly used as binding wire or tie wire in the garden, greenhouse, and agricultural using.

Black Metal Wire is also known as oil painted black iron wire or black mild steel wire. Good flexibility, easy to transform. The rolls size is customized, it can be small rolls or big rolls from 0.5kg~800kg per roll. Outer diameter is 1.8mm, 2.5mm

(3) Zinc-Alu Galvanized Wire

Zinc-Alu galvanized wire is more flexible and easy to transform, which is widely used in agricultural industry for the construction in the greenhouse, setting up plant trellis, vine brackets, etc.

This galvanized wire with an alloy of zinc and aluminum. Rust proof and easy to transform



The rolls size is customized, it can be small rolls or big rolls from 0.5kg~800kg per roll. outer diameter: 2mm, 3.5mm



10. Plant Ties

10.5 Garden Tie Wire

(4) Garden Tie Wire - PVC coated Metal Wire

PVC coated Metal Wire offers excellent corrosion resistance and anti-aging property and longer service life compared with common galvanized iron wire. Different colors available is another benefit for PVC coated wire.

PVC coated Metal wire is widely used for animal husbandry, forestry protection, garden fence, etc

The rolls size is customized, it can be small rolls or big rolls, small rolls on wood sticks.

Outer diameter: 2.0mm, 2.5mm



(5) Garden Tie Wire – Polyester Wire

This Polyester Wire has Black Support Line and Transparent Support Line. The Black support line is mainly used for greenhouse pull screen system and outdoor awning as the lamination line, also for the vineyard of the support line. The Transparent support line is mainly used for greenhouse pull screen system and indoor awning, also as support lines on greenhouse film. 100% Polyester (PET) Wire offers more advantages than metal wires and nylon wires. Less elongation, less water or humidity absorption than nylon wires. 6 times lighter than steel wire, very easy to handle, installation is 3 times faster than metal wire. Consistent Strength, using life in 8~12years. U.V. and weather stabilized, it does not breakdown from exposure to sunlight and it is maintenance free in winter and summer. Its stability against extreme temperature prevents melting and damaging to the greenhouse film covers and plants. No rust, no corrosion, very resistant to chemicals and fertilizers. It lasts 2-3times longer than metal wire. No damage to plants and animals.

Diameter: 1.2mm, 1.8mm, 2.0mm, 2.2mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm

Color: black, transparent



Email: info@jychinasourcing.com Contact: Shirley Jiang

11. Horticulture Tools

We cooperate with one of the biggest manufactures on garden tools and garden machinery in China. The manufacturer occupies more than 20,000 square meters, with the modern factory buildings, advanced production and test equipment, perfect information management system, and we absorb a large number of research and development personnel, adhere to the line of professional these for the full development of the enterprise provides a strong guarantee.


The production of garden tools include pruning shears, grass shears, tree pruner, hedge shears, garden saws, garden planting tools. And as the production of garden machinery with gasoline saws, hedge machine, cutting machine, ect. We adopt a strict quality management system. The manufacturer has BSCI certificate. And we provide excellent competitive price and good service as well.

- Pruning Shears
- Grass Shears
- Tree Pruner
- Hedge Shears
- * Lopping Shears
- Garden Planting Tools
- Garden Saw




12. Fruit Picking Tool

12.1 Fruit Picker



Sizes for Option



12. Fruit Picking Tool

12.2 Fruit Picking Scissors



12. Fruit Picking Tool

12.3 Olive Picker / Coffee bean Picker

- This electric picking tool harvest olives, coffee beans, nuts, etc.



* Different models of picking head





Voltage: 12V
Power: 130W
Vibration frequency: 800-1000R/min
the width of rake: 255mm
the length of wire: 10m
Net weight: 3.4kg
the length or Rod: 2.1-2.9m



Email: info@jychinasourcing.com Contact: Shirley Jiang

12 Fruit Picking Tool

12.3 Olive Picker / Coffee bean Picker

- The Engine of electric olive picking tool



Engine Parameter

A two-stroke engine, quality selection

Product technical parameters				
Gasoline engine model	Two-stroke	rated speed	1.5KW 7500R/MIN	
Ignition model	CDI non-contact	Displacement	22.5CC	
Carburetor type	Vacuum diaphragm type	Tank capacity	0.7L	
Starting method	The recoil starting	Length of rod	1.5m	
Weight of machine	9.6KG (excluding the head)	Length of the fruit picker rod	1.2m	

Starting Instruction

(1) Fuel tip


This power is two-stroke air-cooled power, so the oil mixed with gasoline and engine oil in the gasoline tank must be 2T (two-stroke oil) and the ratio is 25:1 gasoline 25, engine oil 1



(3) Push up to open the damper



(2) Before each start, it is necessary to press the oil bubble to supply oil, and the oil can be sucked into the oil pipe by pressing and releasing.



(4) Pull starter handle


Pull 5~8 times, when you hear the machine ignition sound and then push the damper back



Email: info@jychinasourcing.com Contact: Shirley Jiang

12. Fruit Picking Tool

12.4 Fruit Picking Basket, Vegetable Basket



Entry	Fruit and Vegetable Basket	Material	PP
Upper Caliber	Inner:565*366mm Outer:590*400mm	Lower Caliber	Inner:543*345*186mm Outer:550*350*192mm



Entry	600-240 Fruit and Vegetable Basket	Material	PP
Upper Caliber	Inner:563*355mm Outer:600*390mm	Lower Caliber	Inner:535*340*225mm Outer:550*350*235mm



Entry	600-300 Fruit and Vegetable Basket	Material	PP
Upper Caliber	Inner:530*365mm Outer:600*400mm	Lower Caliber	Inner:490*330*285mm Outer:500*345*300mm



Watermelon Basket (Middle size)				Watermelon Basket (Large size)			
Outer size	Top Dia.: 580mm bottom Dia.: 460mm Height: 315mm	Inner size	top Dia.: 540mm bottom Dia.: 425mm	Outer size	top Dia.:640mm bottom Dia.:505mm Height:370mm	Inner size	top Dia.:595mm bottom Dia.:475mm



Email: info@jychinasourcing.com Contact: Shirley Jiang

13. Grafting Tool

13.1 Grafting Scissors

Grafting Tools include grafting scissors, grafting knives, grafting tapes, grafting clips, are easy to operate for normal people. The scissors size is suitable to handle, slightly to move the lock of scissors, open the scissors, easily prune branches.

With multiple cutter blades of this grafting scissors, you all can do the grafting by yourself without technician people. It is high efficiency, quick healing. Preparing the plant to be grafted, prune the extra branches, put the middle of brunch to the cutter blades, must be placed just at the cutter point, press the handle and cut it, this creates a male and a female interface. And the same operation on another branch, connect the male and female interface, wrap it with grafting tape, to prevent water loss and wound infection, thus, the grafting is completed.



Three types of blades are available

Edge material	Super hard high carbon steel
Handle material	ABS engineering grade material
Using function	Grafting and pruning
Net product weight	310g



How to graft with this grafting tool?

Grafting good helper, pruning is more efficient.



Prepare the crop to the grafted, trim away the excess branches.



Put the grafting part in the middle of cutter as picture. Focus on the cutting edge. Then press down the handle



This creates a male and female parts, repeat the above procedures.



Graft completion!



Email: info@jychinasourcing.com Contact: Shirley Jiang

13. Grafting Tools

13.2 Grafting Knives



13. Grafting Tool

13.3 Grafting Tape

The grafting tape is used to graft plants like grapes, citrus, loquat fruit branches, watermelon, cucumber, tomato, eggplant, etc.

The material of grafting tape is PE, with the quality of the elastic, self-adhesive and waterproof.



常规: 3cm 4cm 5cm



13.4 Grafting Clips

The grafting clips in silicone is eco-friendly, with food grade, it has no smell, transparent, soft, flexible, no crack, and very good to against low and high temperature (-50°C ~ 200°C), and long life for using.



14. Garden Trolley Cart

(1) Wheel Barrow



(2) Garden Wagon

New design

Heavy Duty

Folding removable mesh side, easy to convert to a flat bed wagon

Loading Capacity: 500kg

Dimension: 1400mm L x 600mm W x 850mm H



Email: info@jychinasourcing.com Contact: Shirley Jiang

14. Garden Trolley Cart

(2) Garden Wagon

Various models of garden wagons for option, loading capacity: 200kg, 250kg, 300kg, 500kg

Folding removable mesh side, easy to convert to a flat bed wagon



Email: info@jychinasourcing.com Contact: Shirley Jiang

14. Garden Trolley Cart

(3) Hand Truck

Loading Capacity: 120kg, 150kg, 200kg, 300kg, 500kg for option

Specifications

Model No: HT4020

Height 1220mm Width 500mm Length 450mm

Loading Capacity: 150KGS

Tubular steel frame: 1.5mmX1" diameter

Steel cross bar: 1.5mmX1" diameter

Wheel Brace: 1.5mmX1" diameter

Toe plate: 4mm H X 400mm W X200mm D

Fixed Axle: 16mm diameter

Wheel: 10"X3.50-4"pneumatic & 4"solid

Surface finish: powder coated

Top grade ball bearings for smooth wheel rotation



Email: info@jychinasourcing.com Contact: Shirley Jiang

15. Garden Storage Shed

- Garden Storage
 - 1. Material: corrugated color steel panel. Maintenance free and long lasting ridge reinforced walls.
 - 2. Color: White, Green, Blue, Brown or as your need
 - 3. Dual ventilated front gables.
 - 4. Uncomplicated home assembly in approx. Within 4 hours
 - 5. The foundation and floors are not included in our quotation. These are extra charge.
 - 6. Rustless in 15 years, Perforation Warranty easy for install.
 - 7. The garden shed is used for store tool, car, etc.
 - 8. Swing door

- Features of Garden Storage

Steel parts are made of durable, electro-galvanized steel.

Break-resistant glazed wall panels.

Locking handle for storage security.

Four large shelves and handy tool hanger rack.

Swing open core backed doors.

Position against any wall or as a self-standing unit.



16. Gardening Gloves

Disposable garden gloves are made in three different materials: vinyl, latex, nitrile.

- Disposable vinyl gloves in industrial grade vinyl help to isolate hands from bacteria while providing very good overall protection. The gloves are excellent fit and comfort, various colors are available.

CE test passed



- Disposable latex gloves in 100% natural rubber latex material, and disposable latex nitrile gloves in 100% natural rubber nitrile material. These gloves have low protein content, lightly powdered or PU coating for easy working. Ambidextrous, beaded cuff and smooth external finish, non Sterile.

CE, FDA test passed



17. Gardening Overall

Disposable garden overall is used to cover workers whole body, to protect body no dirt, no sterile inflicted for gardening work, horticulture work, agriculture work. And also this disposable overall used for food service, healthcare, laboratory, etc

Size and design can be customized.
CE, FDA test passed.



Email: info@jychinasourcing.com Contact: Shirley Jiang